

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1258	713/153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:11
L3	5961	"709/227".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:11
L4	1874	"709/221".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:12
L5	1158	"709/239".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:13
L6	730	726/12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:13
L7	13546	((fail\$3 or drop) with node) same (indication or sign\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:15
L8	2361	((fail\$3 or drop) near node) same (indication or sign\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:15

L9	1	L8 and L1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:15
L10	8	L8 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:15
L11	8	L8 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:16
L12	30	L8 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:16
L13	3	L8 and L6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:16
L16	101	L3 and "s42"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:17
L17	25	L4 and "s42"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:17
L18	17	L5 and "s42"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:17

L19	12	L6 and "s42"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:17
L20	16	L8 and "s42"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:18
L21	5961	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:18
L22	261	L21 and (redirect with (message or data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:18
L23	0	L17 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:18
L24	1	L1 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:18
L25	261	L3 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:19
L26	3	L4 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:19

L27	7	L5 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:19
L28	3	L6 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:19
L32	13	(encrypt\$3 and (detect \$3 with failure) and gateway).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:26
L34	2	((encrypt\$3 with indicat \$3)and gateway and redirect\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/20 15:27
L38	17	(redirect\$3 with data and encrypt\$3 and gateway).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/20 15:31
L39	5	(redirect\$3 with data and encrypt\$3 and gateway and detect\$3). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/20 15:31
L40	0	(redirect\$3 with data and encrypt\$3 and gateway and detect\$3 with failure).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/20 15:31
L41	8	(node and encrypt\$3 and redirect\$3 and gateway).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/20 15:37

L42	1	(detect\$3 and failure and gateway and encrypt \$3 and redirect\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/20 15:38
S1	735	713/153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 17:05
S2	11	713/153.ccls.and transmit\$3 with indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:49
S4	36	((transmit\$3 or reciev \$3) with (encrypt\$3 or scrumble or encipre) with data) same ((first or second) with (gateway or channal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:25
S5	2	"20030152224"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:05
S6	51	ZHU near TONG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:05
S10	1	S6 and transmit\$3 near indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:11
S11	1	S6 and reconfigur\$3 with first with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:12

S12	2	"20050125542"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:14
S13	3837	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:14
S14	147	S13 and (redirect with (message or data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:16
S17	1	S14 and reconfigur\$3 with first with (data or information or message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:21
S19	11040	gateway with nodes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:27
S20	14	S14 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:28
S22	60	((fail\$3 or drop) with node near indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:28
S23	5	((fail\$3 or drop) with node) near indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 14:28
S24	46	("4532625"   "5109486"   "5115495"   "5121390"   "5125075").PN. OR ("5542047").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 16:50

S25	96	"709"/\$.ccls.and reconfigur\$3 with first with data	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 16:51
S26	10793	S25 and transmit\$3 or send with indication	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 16:52
S27	8	S25 and (transmit\$3 or send) with indication	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 17:01
S28	5	((fail\$3 or drop) with node) near indication)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/02 17:02
S30	29	713/153.ccls.and ((fail \$3 or drop) with node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 17:07
S32	1374	conventional with tunneling	USPAT	OR	ON	2007/05/02 17:39
S33	4	conventional with tunneling and ((first or second) with gateway)	USPAT	OR	ON	2007/05/02 17:38
S36	21	conventional with tunneling and "709"/\$. ccls.	USPAT	OR	ON	2007/05/02 18:24
S37	7	conventional with tunneling and "713"/\$. ccls.	USPAT	OR	ON	2007/05/02 17:43
S38	8	conventional with tunneling and "726"/\$. ccls.	USPAT	OR	ON	2007/05/02 17:39
S39	0	"07000121".pn.	USPAT	OR	ON	2007/05/02 18:24
S40	1	"7000121".pn.	USPAT	OR	ON	2007/05/02 18:24
S41	1	"6986061".pn.	USPAT	OR	ON	2007/05/02 18:25
S42	42	(transmit\$3 or send) near (indicat\$3 with fail \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 14:44
S43	4	S42 and (gatekeeper or gateway)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 14:43

S44	0	713/4.ccls.and(transmit \$3 or send) near (indicat \$3 with fail\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 14:45
S45	1	"713"/\$.ccls.and(transmit \$3 or send) near (indicat \$3 with fail\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/19 14:45
S46	994	713/153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S47	4853	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S48	201	S47 and (redirect with (message or data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S49	1	S46 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S50	4853	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S51	201	S50 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12



S52	77	(fail\$3 or drop) with node near indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:12
S54	1	S52 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/13 21:13
S55	3	"20010054158"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 13:45
S56	2	"7234656".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 13:57
S57	3	"20030012129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 13:57
S58	0	"200220163686"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 13:59
S59	3	"20020163686"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 13:59
S60	2	"2002281068"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:04

S61	2	"7188280".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 14:04
S62	1	reconfigur\$3 near address with gateway	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:17
S63	2	"20050125542"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 16:37
S64	132	709/227.ccls.and redirect \$3 near (data or message or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:30
S65	48	S64 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:31
S66	1	S64 and (encrypt with data) near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/20 17:31
S67	5746	709/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:51
S68	91	(fail\$3 or drop) with node near indication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:52

S69	1	S67 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:52
S70	1200	713/153.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:53

**EAST Search History (Interference)**

< This search history is empty >

**1 / 20 / 2010 3:40:52 PM**

**C:\ Documents and Settings\ fyalew\ My Documents\ EAST\ Workspaces\ 10730222.wsp**